

Use "Technology"
To Create Practical
Products
With Both Function
And Aesthetics

High-end Industrial Products Brand



GLOBAL MARKETING NETWORK

FOCUSING ON HIGH-QUALITY SOLUTIONS FOR WORK SPACE PLANNING AND STORAGE METHODS, OUTSTAR CONTINUES TO DEVELOP, MANUFACTURE AND SELL, FORMING A GLOBAL MARKETING STRATEGY CENTERED ON LUOYANG AND RADIATING TO THE WORLD. IT IS THE FIRST IN THE INDUSTRY TO ACHIEVE A NATIONAL LAYOUT, WITH CUSTOMERS ALL OVER THE WORLD. THE BRAND INFLUENCE OF THE COMPANY GRADUALLY GOES OUT OF CHINA AND GOES TO THE WORLD, AND ITS COMPREHENSIVE STRENGTH MAINTAINS ITS LEADING POSITION IN THE INDUSTRY.

SINCE ITS ESTABLISHMENT, OUTSTAR HAS BEEN CUSTOMER-CENTRIC AND HAS CONTINUED TO CREATE SYSTEM SOLUTIONS THAT EXCEED VALUE FOR CUSTOMERS. MEET THE NATIONAL STANDARD.



Business Coverage

Asia Pacific, Middle East,
Africa & America with over


200

Service Locations

Business partner



COMBINATION WORKBENCH



COMBINATION WORKBENCH

Multi-function
hanging board




Custom desktop



Add light source



COMBINATION WORKBENCH



Combination Workbench
W1436 * D600 * H800/2000MM



Combination Workbench
W21 54*D600*H800/2000MM



Combination Workbench
W1436+1 023*D600 * H800/2000MM



Combination Workbench
W1436*D600*H800/2000MM



Combination Workbench
W1 436*D600 * H800/2000MM



Combination Workbench
W850 * D85³ *H800/2000MM

ANTI-STATIC WORKBENCH



ANTI-STATIC WORKBENCH

Anti static test report				
MA MIIAL NASTC			Report number: 1 8 - 5648	
serial number	Test item	Test basis and requirements	Experimental Result	conclusion
1	volume resistance	SJ/T 1 1 236 - 2001 1 . ox1 05 - 1 . ox1 08 Ω	3 . 24X1 07 Ω	Qualified
2	point to point resistance	SJ/T 1 1 236 - 2001 1 . ox1 05 - 1 . ox1 08 Ω	6 . 34X1 07 Ω	Qualified
3	surface wear-resistant	SJ/T 1 1 236 - 2001 Normal : ≥ 400r High : ≥ 1 000r super : ≥ 3000r	31 20r	Qualified
4	combustion performance	SJ/T 1 1 236 - 2001 FV- 1 class1 (≤30S)	29 . 70S FV- 1 class1	Qualified
5	Tensile strength	SJ/T 1 1 236 - 2001 ≥ 60Mpa	70 . 86Mpa	Qualified


PROFESSIONAL ANTI-STATIC WORKBENCH

Lifting range

670mm–1050mm



Adjustable light board



Rail: Optional

Three proof lamp: Optional

Hanging tiltable shed panel



HF1 5 -A001 0(W1 500 * D75 *H760 ~ 1 050)
HF1 8 -A001 0(W1 800 * D75 *H760 ~ 1 050)



HF1 5 -A009(W1 500 * D75 *H760 ~ 1 050)
HF1 8 -A009(W1 800 * D75 *H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A001 1 (W1 500 * D75 *H760 ~ 1 050)
HF1 8 -A001 1 (W1 800 * D75 *H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A003(W1 500 * D75 0H760 ~ 1 050)
HF1 8 -A003(W1 800 * D750 * H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A006(W1 500 * D75 *H760 ~ 1 050)
HF1 8 -A006(W1 800 * D750 * H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A004(W1 500 * D75 0H760 ~ 1 050)
HF1 8 -A004(W1 800 * D75 *H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A007(W1 500 * D75 *H760 ~ 1 050)
HF1 8 -A007(W1 800 * D75 *H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A005(W1 500 * D75 0H760 ~ 1 050)
HF1 8 -A005(W1 800 * D75 *H760 ~ 1 050)



Anti-static Workbench

HF1 5 -A008(W1 500 * D75 *H760 ~ 1 050)
HF1 8 -A008(W1 800 * D75 *H760 ~ 1 050)

CONVENTIONAL WORKBENCH



CONVENTIONAL WORKBENCH



Composite Countertop

Features: acid and alkali resistance, wear and oil resistance, impact resistance



Anti-static countertop

Features: high flatness, vibration absorption, impact resistance



Beech countertop

Features: high strength, high load bearing, can be installed pliers



Steel countertop

Features: high temperature resistance, wear resistance, acid corrosion resistance



Fireproof board countertop

Features: fireproof, wear-resistant



Stainless steel countertop

Features: acid and alkali resistance, high strength, dustproof and anti-corrosion



Multifunctional panel



Hanging panel




Heavy duty bench

HS1 2 - 7F01 0(W1 200*D750 * H800+920)

HS1 8 - 7F01 0(W1 800*D750 * H800+920)

HS21 - 7F01 0(W21 00*D750 *H800+920)

HEAVY DUTY BENCH



Heavy duty bench

HS1 2 - 6G001 (W1 200 * D600*H800)

HS1 2 - 7G001 (W1 200 * D750*H800)

HS1 5 - 7G001 (W1 500 * D750*H800)

HS1 8 - 7G001 (W1 800 * D75 *H800)

HS21 - 7G001 (W21 00 * D750*H800)



Heavy duty bench

HS1 2 - 7F003(W1 200 * D750*H800)

HS1 5 - 7F003(W1 500 * D75 *H800)

HS1 8 - 7F003(W1 800 * D75 *H800)

HS21 - 7F003(W21 00 * D75 *H800)



Heavy duty bench

HS1 2 - 7F009(W1 200 * D75 *H800+920)

HS1 5 - 7F009(W1 500 * D75 *H800+920)

HS1 8 - 7F009(W1 800 * D75 *H800+920)

HS21 - 7F009(W21 00 * D75 *H800+920)

HS21 - 7F01 8(W21 00*D750*H800+920)



Heavy duty bench

HS1 2 - 7F002(W1 200*D750 * H800)

HS1 5 - 7F002(W1 500*D750 * H800)

HS1 8 - 7F002(W1 800D750 * H800)

HS21 - 7F002(W21 00*D750*H800)



Heavy duty bench

HS1 2 - 7F006(W1 2 00D750 * H800)

HS1 5 - 7F006(W1 500*D750 * H800)

HS1 8 - 7F006(W1 800D750 * H800)

HS21 - 7F006(W21 00*D750 * H800)



Heavy duty bench

HS1 2 - 7F01 8(W1 200*D750 * H800+920)

HS1 5 - 7F01 8(W1 500*D750 * H800+920)

HS1 8 - 7F01 8(W1 800*D750 * H800+920)

HS21 - 7F01 8(W21 00*D750*H800+920)

HS21 - 7F01 8(W21 00*D750*H800+920)



Heavy duty bench

HS1 2 - 7F005(W1 200 * D750 * H800)

HS1 5 - 7F005(W1 500 * D750 * H800)

HS1 8 - 7F005(W1 800 * D750 * H800)

HS21 - 7F005(W21 00 * D750 * H800)



Heavy duty bench

HS1 5 - 7F01 7(W1 500 * D750 * H800)

HS1 8 - 7F01 7(W1 800 * D750 * H800)

HS21 - 7F01 7(W21 00 * D750 * H800)



Heavy duty bench

HS1 2 - 7F01 9(W1 200 * D750 * H800 + 920)

HS1 5 - 7F01 9(W1 500 * D750 * H800+920)

HS1 8 - 7F01 9(W1 800 * D750 * H800+920)

HS21 - 7F01 9(W21 00 * D750 * H800 + 920)

HS21 - 7F01 9(W21 00 * D750 * H800 + 920)

TOOL CABINET



TOOL CABINET



Partition plate



Classification groove




Classification box




Single and double rail optional , using 3mm high-strength steel, single track bearing 100kg, double track bearing 150kg

ABS transparent label groove



Safety clasp device



Heavy duty tool cabinet HA-004
cabinet size: W565 * D572 * H700 mm
Drawer configuration:
1 50EA;200EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-005
cabinet size: W565 * D572*H700 mm
Drawer configuration:
75EA;1 25EA;1 50EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-006
cabinet size: W565 * D572 * H700 mm
Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-007
cabinet size: W718*D572 * H700 mm
Drawer configuration:
1 50EA;200EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-008
cabinet size: W718 * D572 * H850 mm
Drawer configuration:
75EA;1 25EA;1 50EA;1 50EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-009
cabinet size: W718 * D572 * H1000 mm
Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA;300EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-010
Drawer configuration:
75EA;1 25EA;1 50EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-011
cabinet size: W871 * D572 * H850 mm
Drawer configuration:
75EA;1 25EA;1 50EA;1 50EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-012
Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA;300EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-013
cabinet size: W1023 * D572 * H700 mm
Drawer configuration:
75EA;1 25EA;1 50EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-014
cabinet size: W1023 * D572 * H850 mm
Drawer configuration:
75EA;1 25EA;1 50EA;1 50EA;250EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)



Heavy duty tool cabinet HA-015
cabinet size: W1023 * D572 * H1000 mm
Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA;300EA
Guide rail configuration:
single and double rails are optional
Load: 100kg per drawer (150kg double rail)

TOOL CART



TOOL CART

Free combination



security
combination lock



Rivet
reinforcement



STORAGE EXPERT

Tool cart SC-001

specifications: W710 * D485 * H988+450MM
Drawer configuration: 75;75;75;75;75;150;200

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg

NEW TYPE TOOL CART



Tool cart SC-003

specifications: W710 * D485 * H988MM
Drawer configuration: 100;125;150;150;200

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg



Tool cart SC-006

specifications: W710 * D485 * H988+450MM
Drawer configuration: 75;75;100;125;150;200

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg



Tool cart SC-001

specifications: W710 * D485 * H988MM
Drawer configuration: 75;75;75;75;75;150;200

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg



Tool cart SC-002

specifications: W710 * D485 * H988+450MM
Drawer configuration: 75;75

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg



Tool cart SC-005

Drawer configuration: 75;75;75

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg



Tool cart SC-007

specifications: W7023 * D480 * H988+450MM
Drawer configuration: 75;75;75;75;75;150;200

Guide rail configuration:
ultra-quiet three-section track

Load capacity
Each drawer carries 45 - 60kg

TOOL
CART



Heavy tool cart HB-001

cart size: W412 * D572*H850 mm

Drawer configuration:
1 50EA;200EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-002

cart size: W412 * D572*H850 mm

Drawer configuration:
75EA;1 25EA;1 50EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-003

cart size: W412 * D572*H850 mm

Drawer configuration:
75EA;1 00EA;125EA;200EA;300EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-004

cart size: W565 * D572*H850 mm

Drawer configuration:
1 50EA;200EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-005

cart size: W565 * D572*H850 mm

Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-006

cart size: W565 * D572*H850 mm

Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Wheel
bottom plate



Anti-fall clip



Heavy tool cart HB-007

cart size: W718 * D572 * H850 mm

Drawer configuration:
75EA;1 25EA;1 50EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-008

cart size: W718 * D572 * H1000 mm

Drawer configuration:
75EA;1 25EA;1 50EA;1 50EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-009

cart size: W718 * D572*H1150 mm

Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA;300EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-010

cart size: W871 * D572 * H850 mm

Drawer configuration:
75EA;1 25EA;1 50EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-011

cart size: W871 * D572 * H1000 mm

Drawer configuration:
75EA;1 25EA;1 50EA;1 50EA;250EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-012

cart size: W871 * D572*H1150 mm

Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA;300EA

Guide rail configuration:
single and double rails are optional

Load: 100kg per drawer (150kg double rail)



Heavy tool cart HB-017

cart size: W1000 * D500 * H850 mm

Drawer configuration:
75EA;1 25EA;1 50EA;250EA

Guide rail configuration:
Heavy single rails

Load: 100kg per drawer



Heavy tool cart HB-019

cart size: W1000 * D500 * H850 mm

Drawer configuration:
75EA;1 00EA;1 00EA;1 25EA;200EA

Guide rail configuration:
Heavy single rails

Load: 100kg per drawer



Heavy tool cart HB-018

cart size: W1023 * H1150 mm

Drawer configuration:
1 25EA;75EA;75EA;1 00EA;1 25EA;1 50EA

Guide rail configuration:
Heavy single rails

Load: 100kg per drawer



HEAVY
TOOL
CART

TOOL CART

The whole cart is equipped with high precision embedded riveted nuts



High elastic silence 3 inches



TPR casters



STORAGE EXPERT

Light tool cart - HJ31211Y	
W700*D420 * H820	
Drawer	1 /Group
side	2 /piece
Back	1 /piece
Tool box	1 /one



Light tool cart - HJ30000Y	
Drawer	1 /Group
side	0 /piece
Back	1 /piece
Tool box	1 /one



Light tool cart - HJ30201Y	
Drawer	0 /Group
side	2 /piece
Back	1 /piece
Tool box	1 /one




Light tool cart - HJ30210Y	
Drawer	0 /Group
side	2 /piece
Back	1 /piece
Tool box	0 /one



Light tool cart - HJ31211Y	
Drawer	1 /Group
side	2 /piece
Back	1 /piece
Tool box	1 /one




Light tool cart - HJ30000S	
Drawer	0 /Group
side	0 /piece
Back	0 /piece
Tool box	0 /one



Light tool cart - HJ30201S	
Drawer	0 /Group
side	2 /piece
Back	0 /piece
Tool box	1 /one



Light tool cart - HJ30210S	
side	2 /piece
Drawer	0 /Group
Back	1 /piece
Tool box	0 /one



Light tool cart - HJ30211S	
Drawer	0 /Group
side	2 /piece
Back	1 /piece
Tool box	1 /one



Light tool cart - HJ30000E	
side	0 /piece
Drawer	0 /Group
Tool box	0 /one



Light tool cart - HJ30201E	
Drawer	0 /Group
Back	0 /piece
Tool box	1 /one



Light tool cart - HJ30210E	
Drawer	0 /Group
side	2 /piece
Back	1 /piece
Tool box	0 /one



Light tool cart - HJ30211E	
Drawer	0 /Group
side	2 /piece
Back	1 /piece
Tool box	1 /one



Light tool cart - HJ30000R	
Drawer	0 /Group
Back	0 /piece
Tool box	0 /one



Light tool cart - HJ31201R	
Drawer	1 /Group
side	2 /piece
Back	0 /piece
Tool box	1 /one



Light tool cart - HJ30210R	
Drawer	2 /Group
Back	1 /piece
Tool box	0 /one



Light tool cart - HJ30211R	
Drawer	0 /Group
side	2 /piece
Back	1 /piece
Tool box	1 /one

HEAVY TOOL CART


Herringbone hanging hole




Tool holder handle



Cart holder handle



Fileslot




Polyurethane casters



W1 060D600*H880

HC-001

HEAVY TOOL CART



HC-002

W565*D572*H1 290





Top tool plate



Tool drawer

Tool set introduction

 	Model	A	B	C	D	E	 	Model	A	B	C	D	E
	BT30	65	33	29	23	35		HSK63	64	54	48	35	87
	BT40	82	47	38	32	55		HSK80	1 04	81	66	60	35
	BT50	1 08	72	59	53	69		HSK1 00	1 24	101	82	76	35

LOCKER



LOCKER

Single rail
drawer




Heavy rail
design



Adjustable
foot



Pallet type
laminate



STORAGE EXPERT

Heavy duty locker HD-B2382

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	2 /F/Oor
Drawer	3 /F/Oor
suspension board	8 /piece
suspension board	2 /piece

HEAVY DUTY LOCKER



Heavy duty locker HD-B4000

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	4 /F/Oor
Drawer	0 /F/Oor
suspension board	0 /piece
suspension board	0 /piece



Heavy duty locker HD-B6000

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	1 /F/Oor
Drawer	0 /F/Oor
suspension board	0 /piece
suspension board	0 /piece



Heavy duty locker HD-B8000

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	1 /F/Oor
Drawer	0 /F/Oor
suspension board	0 /piece
suspension board	0 /piece



Heavy duty locker HD-B4082

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	8 /F/Oor
suspension board	0 /F/Oor
Drawer	2 /piece
suspension board	8 /piece



Heavy duty locker HD-B1084

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	1 /F/Oor
suspension board	0 /F/Oor
Drawer	1 /piece
suspension board	4 /piece
suspension board	8 /piece



Heavy duty locker HD-B2102

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	1 /F/Oor
suspension board	0 /piece
Drawer	0 /piece
suspension board	2 /piece



Heavy duty locker HD-B2202

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	1 /F/Oor
Drawer	2 /F/Oor
suspension board	0 /piece
suspension board	2 /piece



Heavy duty locker HD-B2282

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	0 /F/Oor
Drawer	2 /F/Oor
suspension board	8 /piece
suspension board	2 /piece




Heavy duty locker HD-B2302

size: W1 023 * D500 * H1 800mm	
single drawer bearing 10kg laminates bearing 10kg	
set including:	
Laminate	1 /F/Oor
Drawer	3 /F/Oor
suspension board	0 /piece
suspension board	2 /piece

TOOL SHELF



TOOL SHELF




HE1L-2301	
size: W960+930 * D375 * H1 450mm	
Louver	1 /piece
Louver	5 /piece




HE2R-301	
size: W960 * D61 0 * H1 450mm	
Louver	2 /piece
Louver	4 /piece


TOOL SHELF



Hanging plate technology



Fixed foot and moving wheels



HE1R-201	
size: W960 * D375*H1 450mm	
Louver	1 /piece
Louver	1 /piece



HE1R-301	
size: W960*D375*H1 450mm	
Louver	1 /piece
Louver	2 /piece



HE1R-401	
size: W960*D375 * H1 91 0mm	
Louver	1 /piece
Louver	3 /piece



HE2M-201	
size: VW960 * D61 0*H1 1 1 0mm	
Louver	2 /piece
Louver	2 /piece



HE2M-301	
size: VW960 * D61 0*H1 560mm	
Louver	2 /piece
Louver	4 /piece



HE2M-302	
size: W960*D61 0*H1 560mm	
Louver	6 /piece
Louver	0 /piece

SHELF




SHELF


Thickened column



Backside reinforcement



Reinforced welding technique



STORAGE
EXPERT


Heavy duty shelf HJ-001

specifications: W2000 * D500 *
H2000



Heavy duty shelf HJ-002

specifications: W2000 * D500 *
H2000




Heavy duty shelf HJ-003

specifications: W2500*D1000/1200*H3000



Parts box hook series



25mm Φ6
50mm Φ6
75mm Φ6
100mm Φ6
150mm Φ6
200mm Φ6



25mm Φ6
50mm Φ6
75mm Φ6
100mm Φ6
150mm Φ6
200mm Φ6



23 * 35mm Φ6
23*55mm Φ6
23 * 70mm Φ6



100mm Φ6
150mm Φ6



60mm Φ6
100mm Φ6



145 * 135mm Φ6



75mm Φ6
75mm Φ6



100mm Φ6




Φ6



150mm Φ6



45mm Φ6




40mm Φ6
60mm Φ6
80mm Φ6



Φ6




195mm Φ6



370mm Φ6



600mm Φ6



370mm Φ6



Φ6



1# 1 80*1 85 * 50mm
2# 1 40*1 05 * 75mm
3# 1 90 * 1 35 * 75mm
4# 220 * 140 * 1 25mm
5# 270 * 140 * 1 25mm



225 * 1 15mm Φ6



40 * 20mm Φ6



80mm Φ6



35 * 25mm Φ6



80*35mm Φ6



60mm Φ6



1# 1 60*1 00*74mm
2# 240*1 50*1 24mm
3# 340*200*1 55mm
4# 450*200*1 77mm
5# 450*300 * 1 77mm